

## IN THE CLAIMS

The enclosed list of claims is a list of all pending claims including claims that have not been amended by way of the present amendment.

1. (currently amended) ~~A dynamic gain flattening filter configured to receive an optical signal~~ An optical apparatus, comprising:

a first filter stage including,

a first tunable coupling member;

a first differential delay with first and second tunable delay paths; and

wherein the first tunable coupling member adjusts an amount of power of ~~the~~ an optical signal divided onto the first and second tunable delay paths of the first differential delay.

2. (currently amended) ~~The filter~~ optical apparatus of claim 1, wherein the first differential delay includes a fixed portion and a tunable portion.

3. (currently amended) ~~The filter~~ optical apparatus of claim 1, wherein the first differential delay includes a first fixed differential delay and a first tunable differential delay with respect to the first and second tunable delay paths.

4. (currently amended) The ~~filter~~ optical apparatus of claim 3, wherein the first fixed differential delay sets a periodic variation in a power spectrum of the optical signal.

5. (currently amended) The ~~filter~~ optical apparatus of claim 3, wherein the first tunable differential delay sets a phase of the periodic variation in the power spectrum of the optical signal.

6. (currently amended) The ~~filter~~ optical apparatus of claim 3, wherein the first fixed differential delay is positioned between the first tunable coupling member and the first tunable differential delay.

7. (currently amended) The ~~filter~~ optical apparatus of claim 3, wherein the first tunable differential delay is positioned between the first tunable coupling member and the first fixed differential delay.

8. (currently amended) The ~~filter~~ optical apparatus of claim 1, further comprising:

a second stage including;

a second tunable coupling member;

a second differential delay with first and second tunable delay

paths; and

wherein the second tunable coupling member adjusts an amount of power of the optical signal divided onto the first and second tunable delay paths of the second differential delay.

9. (currently amended) The ~~filter~~ optical apparatus of claim 8, wherein the second differential delay includes a fixed portion and a tunable portion.

10. (currently amended) The ~~filter~~ optical apparatus of claim 8, wherein the second differential delay includes a second fixed differential delay and a second tunable differential delay with the first and second tunable delay paths.

11. (currently amended) The ~~filter~~ optical apparatus of claim 10, wherein the second fixed differential delay sets a periodic variation in a power spectrum of the optical signal.

12. (currently amended) The ~~filter~~ optical apparatus of claim 10, wherein the second tunable differential delay sets a phase of the periodic variation in the power spectrum of the optical signal.

13. (currently amended) The ~~filter~~ optical apparatus of claim 10, wherein the second fixed differential delay is positioned between the second tunable coupling member and the second tunable differential delay.

14. (currently amended) The ~~filter~~ optical apparatus of claim 10, wherein the second tunable differential delay is positioned between the second tunable coupling member and the second fixed differential delay.

15. (currently amended) The ~~filter~~ optical apparatus of claim 3, wherein each of the differential delays is a polarization dependent differential delay.

16. (currently amended) The ~~filter~~ optical apparatus of claim 3, wherein the first fixed differential delay generates a time delay between first and second polarizations of the optical signal.

17. (currently amended) The ~~filter~~ optical apparatus of claim 3, wherein the first tunable differential delay changes an optical phase between first and second polarizations of the optical signals.

18. (currently amended) The ~~filter~~ optical apparatus of claim 3, wherein the first tunable coupling member is a polarization state transformer that

transform the incoming signal beam from one polarization state to a different polarization state.

19. (currently amended) The ~~filter~~ optical apparatus of claim 3, wherein the first tunable differential delay modifies first and second polarizations of the optical signal with different phase relationships.

20. (currently amended) The ~~filter~~ optical apparatus of claim 3, wherein the first tunable coupling member includes first and second liquid crystal alignment members coupled to a voltage source.

21. (currently amended) The ~~filter~~ optical apparatus of claim 20, wherein liquid crystals in the first and second liquid crystal alignment members are oriented at different angles with respect to each other.

22. (currently amended) The ~~filter~~ optical apparatus of claim 20 wherein liquid crystals in the first and second liquid crystal alignment members are orientated at the same angle with respect to each other.

23. (currently amended) The ~~filter~~ optical apparatus of claim 20, wherein liquid crystals in the first liquid crystal alignment member are oriented orthogonal to liquid crystals in the second liquid crystal alignment member.

24. (currently amended) The ~~filter~~ optical apparatus of claim 3, wherein the first tunable differential delay includes first and second liquid crystal alignment members coupled to a voltage application member.

25. (currently amended) The ~~filter~~ optical apparatus of claim 24, wherein liquid crystals in the first and second liquid crystal alignment members are orientated at the same angle.

26. (currently amended) The ~~filter~~ optical apparatus of claim 24, wherein liquid crystals in the first and second liquid crystal alignment members are orientated at different angles with respect to each other.

27. (currently amended) The ~~filter~~ optical apparatus of claim 3, wherein at least one of the tunable coupling members and the tunable differential delays is a liquid crystal tuning element.

28. (currently amended) The ~~filter~~ optical apparatus of claim 3, wherein at least one of the tunable coupling members and the tunable differential delays is a Faraday rotation member.

29. (currently amended) The ~~filter~~ optical apparatus of claim 3, wherein at least one of the tunable coupling members and the tunable differential delays is an electro-optic member.

30. (currently amended) The ~~filter~~ optical apparatus of claim 3, wherein at least one of the tunable coupling members and the tunable differential delays is a thermal tuning member.

31. (currently amended) ~~A dynamic gain flattening filter configured to receive an optical signal~~ An optical apparatus, comprising:

a first ~~filter~~ stage including,

a first tunable coupling member;

a first differential delay with first and second tunable delay paths;

wherein the first tunable coupling member adjusts an amount of

power of ~~the~~ an optical signal divided onto the first and second

tunable delay paths of the first differential delay and

a first polarization splitter positioned adjacent to the first ~~filter~~ stage, the

first polarization splitter splitting the optical signal into two orthogonal

polarizations.

32. (currently amended) The ~~filter~~ optical apparatus of claim 31, wherein the first differential delay includes a fixed portion and a tunable portion.

33. (currently amended) The ~~filter~~ optical apparatus of claim 31, wherein the first differential delay includes a first fixed differential delay and a first tunable differential delay with the first and second tunable delay paths.

34. (currently amended) The ~~filter~~ optical apparatus of claim 33, wherein the first fixed differential delay sets a periodic variation in a power spectrum of the optical signal.

35. (currently amended) The ~~filter~~ optical apparatus of claim 33, wherein the first tunable differential delay sets a phase of the periodic variation in the power spectrum of the optical signal.

36. (currently amended) The ~~filter~~ optical apparatus of claim 31, wherein the first polarization splitter is a polarization walk-off crystal.

37. (currently amended) The ~~filter~~ optical apparatus of claim 31, wherein the first polarization splitter is a polarization beam splitter.

38. (currently amended) The ~~filter~~ optical apparatus of claim 33, wherein the first fixed differential delay is positioned between the first tunable coupling member and the first tunable differential delay.

39. (currently amended) The ~~filter~~ optical apparatus of claim 33, wherein the first fixed differential delay is positioned between the first tunable coupling member and the first tunable differential delay.

40. (currently amended) The ~~filter~~ optical apparatus of claim 31, further comprising:

a first half-wave plate positioned between the first polarization splitter and the first stage.

41. (currently amended) The ~~filter~~ optical apparatus of claim 31, further comprising:

a second stage including:

a second tunable coupling member;

a second differential delay with first and second tunable delay paths;

and

wherein the second tunable coupling member adjusts an amount of power of the optical signal divided onto the first and second tunable delay paths of the second differential delay.

42. (currently amended) The ~~filter~~ optical apparatus of claim 41, wherein the second differential delay includes a fixed portion and a tunable portion.

43. (currently amended) The ~~filter~~ optical apparatus of claim 41, wherein the second differential delay includes a second fixed differential delay and a second tunable differential delay with the first and second tunable delay paths.

44. (currently amended) The ~~filter~~ optical apparatus of claim 43, wherein the second fixed differential delay sets a periodic variation in a power spectrum of the optical signal.

45. (currently amended) The ~~filter~~ optical apparatus of claim 43, wherein the second tunable differential delay sets a phase of the periodic variation in the power spectrum of the optical signal.

46. (currently amended) The ~~filter~~ optical apparatus of claim 43, wherein the second fixed differential delay is positioned between the second tunable coupling member and the second tunable differential delay

47. (currently amended) The ~~filter~~ optical apparatus of claim 43, wherein the second tunable differential delay is positioned between the second tunable coupling member and the second fixed differential delay.

48. (currently amended) The ~~filter~~ optical apparatus of claim 43, further comprising:

a second polarization splitter positioned adjacent to the first stage, the second polarization splitter combining the two orthogonal polarizations.

49. (currently amended) The ~~filter~~ optical apparatus of claim 48, further comprising:

a first half-wave plate positioned between the first polarization splitter and the first stage; and

a second half-wave plate positioned between the second walk-off

crystal and the second stage.

50. (currently amended) The ~~filter~~ optical apparatus of claim 48, wherein the first and second orthogonal polarizations of the optical signal travel independently through the first and second tunable differential delays.

51. (currently amended) The ~~filter~~ optical apparatus of claim 43, wherein each of the differential delays is a polarization dependent differential delay.

52. (currently amended) The ~~filter~~ optical apparatus of claim 43, wherein the first fixed differential delay generates a time differential delay between first and second polarizations of the optical signal.

53. (currently amended) The ~~filter~~ optical apparatus of claim 43, wherein the first tunable differential delay changes an optical phase between first and second polarizations of the optical signal.

54. (currently amended) The ~~filter~~ optical apparatus of claim 43, wherein the first tunable coupling member is a polarization state transformer that transform the incoming signal beam from one polarization state to a different polarization state.

55. (currently amended) The ~~filter~~ optical apparatus of claim 43, wherein the first tunable differential delay modifies first and second polarizations of the optical signal with different phase relationships.

56. (currently amended) The ~~filter~~ optical apparatus of claim 43, wherein the first tunable coupling member includes first and second liquid crystal alignment members coupled to a voltage source.

57. (currently amended) The ~~filter~~ optical apparatus of claim 56, wherein liquid crystals in the first and second liquid crystal alignment members are orientated at different angles with respect to each other.

58. (currently amended) The ~~filter~~ optical apparatus of claim 56, wherein liquid crystals in the first liquid crystal alignment member are orientated at  $0^{\circ}$  and the liquid crystals in the second liquid crystal alignment member are orientated at  $90^{\circ}$ .

59. (currently amended) The ~~filter~~ optical apparatus of claim 43, wherein the first tunable differential delay includes first and second liquid crystal alignment members coupled to a voltage application member.

60. (currently amended) The ~~filter~~ optical apparatus of claim 59, wherein liquid crystals in the first and second liquid crystal alignment members are orientated at the same angle.

61. (currently amended) The ~~filter~~ optical apparatus of claim 59, wherein liquid crystals in the first and second liquid crystal alignment members are orientated at an orthogonal angle to each other.

62. (currently amended) The ~~filter~~ optical apparatus of claim 43, wherein each of the tunable coupling members and the tunable differential delays is a liquid crystal tuning element.

63. (currently amended) The ~~filter~~ optical apparatus of claim 43, wherein at least one of the tunable coupling members and the tunable differential delays is a Faraday rotation member.

64. (currently amended) The ~~filter~~ optical apparatus of claim 43, wherein at least one of the tunable coupling members and the tunable differential delays is a electro-optic member.

65. (currently amended) The ~~filter~~ optical apparatus of claim 43, wherein at least one of the tunable coupling members and the tunable differential delays is a thermal tuning member.